

Product Safety Data Sheet

Metal Repair Agent

Part 1: Product Overview

Product Name: Metal Repair Agent Component A

Product Type: Main Repair Agent

Manufacturer Name: Dongguan Chenmei New Materials Co., Ltd. Recommended Uses and Restricted Uses

Confirmed uses: Metal Repair Series

address: No.32, Hengzhong Road, Chang'an Town, Dongguan City

telephone: 0769-2222-0243

zip code: 523926

Company Website:

Emergency Consultation Phone Number

24-hour emergency contact number: 0769-2222-0243

Part 2: Main Ingredients

chemical name	CAS NO.	Content (Wt%)
Epoxy resin toughening agents:	25068-38-6;	20%-40%
benzyl alcohol, calcium carbonate, silica, barium sulfate	Unknown;	1%-5%
	100-51-6;	1%-5%
	471-34-1;	50%-80%
	60676-86-0;	1%-2%
	7727-43-7	15%-25%

Part 3: Overview of Hazards

routes of exposure: inhalation, skin contact, ocular exposure, accidental ingestion.

health hazard :

Eye contact: May cause eye irritation, redness, tearing, and inflammation.

Inhalation: In individuals with an allergic constitution, inhalation of the vapor may trigger allergic reactions.

Skin: For individuals with allergic constitutions, contact may cause skin irritation or dermatitis.

Misuse: May cause gastrointestinal irritation and nausea.

Part 4: First Aid Measures

Eye contact: Rinse with running water for 15 minutes; if irritation persists, seek medical attention.

Inhalation: Immediately remove the individual from the exposure area to a well-ventilated location and ensure airway patency.

Seek medical attention if discomfort persists.

Skin contact: Immediately remove contaminated clothing and rinse thoroughly with plenty of running water and soap solution.

Misadministration: Do not induce vomiting; seek medical attention.

Part 5 Fire Safety Measures

Product Safety Data Sheet

Metal Repair Agent

combustibility : nonflammable 。

annihilator : Carbon dioxide, dry powder, foam.

Fire Safety Precautions: Spray water to cool containers in the fire scene. Firefighters must wear a respirator or a positive-pressure self-contained breathing apparatus.

Hazardous combustibles: Toxic smoke such as carbon monoxide, carbon dioxide, and NOx.

Part 6: Emergency Measures for Leaks

Ventilate the leakage area, eliminate ignition sources, and avoid inhaling large amounts of vapor. Absorb with sand or other similar materials. Dispose according to the requirements of environmental protection authorities.

Part 7: Operation and Storage

Operational Notes: Implement proper ventilation and avoid contact with eyes and skin. Storage temperature should not exceed 28°C. Keep away from heat sources, ignition sources, and direct sunlight; avoid contact with strong acids, strong alkalis, and oxidizing agents; handle with care during transportation to prevent compression or vibration that may damage packaging or containers.

Part 8: Protective Measures:

engineering control : Full ventilation or local exhaust.

Respiratory protection: Special protective measures are generally not required; however, in cases of high-concentration exposure, a respirator or self-contained breathing apparatus with filtration can be worn.

eye protection : Wear chemical safety goggles.

Body Protection: Wear standard work protective clothing.

Hand Protection: Wear chemical-resistant gloves.

Part 9: Physical and Chemical Properties

Appearance and Characteristics:

Metallic gray paste.

relative density:

1.8

solubility:

Mixable with organic solvents.

pH: — — —

boiling point:

≥ 150°C

melting point:

— — —

Part 10: Stability and Reactivity

stability: stabilize 。

Polymerization hazard: Do not aggregate.

Conditions for avoiding contact: High temperature, ignition source.

Contraindications: Strong oxidizing agents, strong acids, strong bases, and other polymerization initiators.

Combustion (decomposition) products: Toxic smoke such as carbon monoxide, carbon dioxide, and NOx.

Part 11 Toxicological Information

Acute oral toxicity: >5,000 mg/kg (rats)

Acute cutaneous toxicity:>2,000 mg/kg (white rabbits)

Part 12: Ecological Information

non-avaible 。

Product Safety Data Sheet

Metal Repair Agent

Part 13: Waste Disposal

Disposal method: Please consult the local environmental protection department.

Part 14: Transportation

Applicable Transport Name: No restrictions are specified.

Air Transport Name: No restrictions are specified.

Name of Maritime Transport: No restrictions are specified.

Part 15: Regulatory Information

Neither the product nor its components fall under the category of highly toxic substances in the "China Existing Chemicals Catalogue".

Part 16: Other Information

The information in this Safety Data Sheet has been prepared based on our current level of knowledge and applicable national laws. The product shall not be used for any purpose other than those specified in the technical data sheet without prior written notification. It remains the responsibility of the user to take all necessary measures to comply with applicable regulatory requirements.